



Test Changes

All changes effective immediately, unless otherwise noted.

Test#	Order Code	Test Description
2964	H2964	HSV TYPE 1 IGG ABS
	New Reference Range	<0.8 Index.....Negative 0.8-1.0 Index.....Borderline >1.0 Index.....Positive
562	AFP4	ALPHA-FETOPROTEIN (AFP), FOUR MARKER SCREEN, MATERNAL, SERUM
		*Effective July 10th 2006, the specimen requirements and Method for this test will change to the following:
	Sample Requirements.....	1 Red top/1.0 mL serum, non-hemolyzed (0.6mL minimum). Separate and freeze serum within 24 hours.
	Method.....	Chemiluminescent Immunometric Assay/Enzyme Immunoassay/Radioimmunoassay

Test Deletions

Effective immediately

Test#	Order Code	Test Description
384	T4FDI	T4 (THYROXINE), FREE BY DIALYSIS, SERUM
		Due to reagent unavailability, Mayo Medical Lab is no longer offering this test therefore it has been taken out of the MGHS catalog.

Test Temporarily Down

Effective Immediately

Test#	Order Code	Test Description
9574	T9574	T3 (TRIIODOTHYRONINE), REVERSE, SERUM
		*Effective immediately, this test is temporarily down due to reagent unavailability. Mayo Medical Lab will hold all samples for testing.