

Marquette County EMS Medical Control Authority

Part 1 Section 1

TRAUMA-Pelvic and Extremities

LALS ALS Protocol

Document:

- ABCDE
- Detailed Assessment
- Vital Signs
- SpO2
- Glasgow Coma Scale
- Motor Function
- Neurologic Deficits
- Lung Sounds
- Skin Color
- Treatment
- Response to Treatment
- Communication with Medical Control

ABCDE
100% Oxygen
Evaluate airway while maintaining c-spine stabilization and complete General Trauma evaluation
See BLS Pelvic & Extremity Trauma

Control Bleeding

Control major bleeding immediately.

Clinical Signs of Shock?

Yes

See Shock Protocol. Consider the use of MAST for suspected pelvic fracture. Start large bore (14, 16, 18 IV) with NS or LR for moderate to severe bleeding. Advise Medical Control of patient status as soon as possible.

No

Immobilize position patient appropriately

Confirm neurological signs before and after immobilization

Splint fractures as necessary, confirming pulses, motion, sensation before & after splinting. If necessary, see Amputated Parts or Bleeding protocols (*Part 1, Section 1*)

Contact Medical Control for direction on patient destination and definitive treatment

AED/ cardiac monitor as necessary. Re-evaluate VS and ABC's frequently. If LALS, request ALS if not auto dispatched.

Glasgow Coma Scale		
Eye	Spontaneous	4
Opening	To Voice	3
	To Pain	2
	None	1
Best Verbal Response	Oriented	5
	Confused	4
	Inappropriate words	3
Best Motor Response	Incomprehensible words	2
	None	1
	Obeys Commands	6
Best Motor Response	Localizes Pain	5
	Withdraws (Pain)	4
	Flexion	3
	Extension	2
	None	1

Authentication And Approval :

Richard L. Johnson, DO

5/5/2008

Marquette County EMS Medical Director

Date:

Effective: 10/19/89

Rev. Date: 6/24/97, 06/29/04, 3/1/05, 5/5/08

Trauma-
Pelvic & Extremities
LALS/ALS